

#### **WEEKLY INFLUENZA REPORT**

### Data as of Wednesday, November 23, 2011


The following report is meant to provide local health departments, hospital administrators, and health professionals and residents with a general understanding of the burden of influenza-like illness (ILI). Data from several surveillance programs were utilized to produce this report.

For further information about the data presented in this report, please call the ISDH Surveillance and Investigation Division at 317-233-7125.

#### **Key Points:**

- The current percentage of ILI reported by the emergency department surveillance (ED) system (1.29%) and the sentinel surveillance system (.98%) is at baseline.
- During week 46, 0% (0/04) of specimens that were submitted for influenza surveillance were positive for seasonal influenza, 2 were positive for Adenovirus and 1 was positive for Rhinovirus.
- During week 46, 0 Indiana schools (K-12) reported that their absenteeism rate was 20% or higher.
- Universities and non-university facilities are experiencing similar levels of ILI in their communities.
- Routine influenza surveillance in **Iowa** indicated a novel influenza virus in three children in North Central Iowa. This influenza A (H3N2) recombinant virus has also been detected in other states in recent months. The virus contains components of human, avian, and swine influenza viruses, as well as components of influenza A (H1N1) virus. All transmission has been human-to-human, and transmission appears to be limited. No additional cases have been identified in the last week. None of the ill persons has had any known exposure to animals. No serious illnesses or deaths associated with this novel influenza A (H3N2) virus have been reported, and all ill persons have recovered. Surveillance for this virus has been enhanced at clinics and emergency rooms in the area.
- Two human infections with novel influenza A viruses were detected in individuals from Indiana. Both patients were infected with swine-origin influenza A (H3N2) viruses. Both were hospitalized but have been discharged and both have recovered from their illnesses. One case was hospitalized in July, 2011 and one in October, 2011. There has been no evidence of an epidemiological link between these two patients and no sustained human-to-human transmission of these viruses has been found

Percent of patients who presented at an emergency department (ED) with a chief complaint relating to influenza-like illness – Indiana, 20011/12 & 2010/2009, 2009/10, 2008/9 seasons, 2006/7 & 2007/8 seasonal averages.\*† (EDs currently reporting = 113)



\*Data obtained from the ISDH Public Health Emergency Surveillance System (PHESS). The 2008/9 season had a "Week 53" which the 2006/7 and 2007/8 seasons did not have, explaining the break in the seasonal average line.

† PHESS data is very timely, so the data reported is for the most current week.

### **Key Findings**


• The current percentage of ILI reported by the emergency department surveillance (ED) system (1.29) which is at baseline.

# Sentinel reported influenza-like illness by sentinel type and reporting week with number of reporting sites Indiana, 2011/12 season.\*

Reporting Week	All Reporters %ILI	Universities %ILI	Non-Universities %ILI
Week 46	.98 (31)	1.42 (7)	.85 (24)
Week 45	1.17 (41)	1.62 (9)	1.06 (34)
Week 44	1.34 (41)	2.0 (9)	1.17 (34)

<sup>\*</sup>Data obtained from the ISDH Sentinel Influenza Surveillance System. This data is subject to change as sentinel sites can back-date their weekly reports.

Percent of patients who presented at sentinel provider clinics with symptoms relating to influenza-like illness – Indiana, 2011/2012 data vs. 2006/07 -2010/2011 seasonal averages. 2009/2010 season excluded due to the pandemic\*† (Number of sentinel provider clinics who reported this week = 31)



<sup>\*</sup>Data obtained from the ISDH Sentinel Influenza Surveillance System. No data is available for weeks 21-39 during the 2006/7 and 2007/8 seasons due to decreased reporting during traditionally non-influenza months.

Sentinel reported influenza-like illness (ILI) by age category for the most current week reported – Indiana, 2011-12

Age category (yrs)	Total number with ILI	Percent with ILI
0–4	7	7.5
5 –24	53	57
25–49	23	24.7
50-64	5	5.4
65+	5	5.4
Total	93	100.0

<sup>\*</sup>Data obtained from the ISDH Sentinel Influenza Surveillance System.

<sup>†</sup> Sentinel data has limited timeliness, so the data reported is for the week before the most current week. This data is subject to change as sentinel sites can back-date their weekly reports.

<sup>\*</sup>Sentinel data has limited timeliness, so the data reported is for the week before the most

current week. This data is subject to change as sentinel sites can back-date their weekly reports.

# **Key Findings**

- The percent of patients presenting at sentinel providers with ILI is at baseline.
- Universities and non-universities are experiencing similar levels of ILI in their population.

## Sentinel and ED influenza-like illness percentages by reporting week Indiana, 2011/12 season.

Reporting Week	ED Surveillance %ILI	Sentinel Surveillance %ILI
Week 46	1.29	.98
Week 45	1.19	1.17
Week 44	1.35	1.34

# Number of new deaths associated with laboratory confirmed influenza, by age category – Indiana, November 23, 2011

	This week's numbers		Numbers since October 2, 2011	
	Age category (yrs)	Total number	Age category (yrs)	Total number (2009 A/ H1N1pdm case)
	0-4	0 (0)	0-4	0 (0)
	5-18	0 (0)	5-18	0 (0)
Number of	19-24	0 (0)	19-24	0 (0)
deaths	25-49	0 (0)	25-49	0 (0)
associated with	50-64	0 (0)	50-64	0 (0)
influenza	65+	0 (0)	65+	0 (0)
	Unknown	0 (0)	Unknown	0 (0)
	Total	0 (0)	Total	0 (0)

## Number of schools (K-12) reporting a 20% or more absenteeism rate - Indiana, 2011/12 school year\*

Health District†	Current Week	Total since September 14, 2009
1	0	0
2	0	0
3	0	0
4	0	0
5	0	0
6	0	0
7	0	0

8	0	0
9	0	0
10	0	0
Total	0	0

<sup>\*</sup>Data is self reported by schools to the Indiana Department of Education and/or to their local health department. Schools report children absent due to any illness, not just influenza-like illness.

†A map of what counties are included in each Health District is included at the end of this report.

ISDH Laboratory data regarding circulating influenza viruses - Indiana, 2011/12 influenza season.\*

	This week's total		2012 total	
PCR Result	Number	Percent of specimens received	Number	Percent of specimens received
2009 A/H1N1pdm virus	0	0%	0	0%
Influenza A/H3 seasonal virus	0	0%	1	1.6%
Influenza A/H1 seasonal virus	0	0%	0	0%
Influenza B seasonal virus	0	0%	0	0%
Influenza negative	4	100%	58	95.1%
Inconclusive	0	0%	1	1.6%
Unsatisfactory specimen†	0	0%	1	1.6%
Total	4	100%	61	100%

<sup>\*</sup>Data obtained from the ISDH Laboratory via specimens submitted from the ISDH Sentinel Influenza Surveillance System and IN Sentinel Laboratories.

2009 H1N1pdm-positive samples by age group - Indiana, 2011/12 influenza season.\*

		This week's numbers		2012 totals	
	Age category (yrs)	Total number	Percent by age group	Total number	Percent by age group
	0-4	0	0%	0	0%
2009 H1N1pdm- positive specimens	5-18	0	0%	0	0%
	19-24	0	0%	0	0%
	25-49	0	0%	0	0%
	50-64	0	0%	0	0%
	65+	0	0%	0	0%
	Unknown	0	0%	0	0%
	Total	0	0%	0	0%

<sup>†</sup>Unsatisfactory specimens include specimens that leaked in transit, were too long in transit, or were inappropriately labeled.

s The inconclusive result was a human infection with a novel influenza A virus was identified on October 28, 2011 through laboratory surveillance at the Indiana State Department of Health Laboratory. The specimen was sent to the CDC and confirmed the specimen was a triple reassortant H3N2 (SOtrH3N2) influenza virus

\*Data obtained from the ISDH Laboratory via specimens submitted from the ISDH Sentinel Influenza Surveillance System and IN Sentinel Laboratories.

## OTHER CIRCULATING VIRUSES RECENTLY IDENTIFIED BY THE ISDH LABORATORY:

Other Respiratory Viruses	This Week	2012 Total	Summer Surveillance (May-Sept 2011)
Adenovirus	2	5	3
Coxsackie A Virus	0	0	3
Coxsackie B Virus	0	0	0
Echovirus	0	0	0
Enterovirus NOS	0	0	0
Parainfluenza 1 Virus	0	2	2
Parainfluenza 2 Virus	0	1	0
Parainfluenza 3 Virus	0	0	1
Rhinovirus	1	3	3
Total	3	11	12